American Journal of Physiology: Cell Physiology

No. 1. JULY 1994

INVITED REVIEW

Role of membrane trafficking in plasma membrane solute transport
N. A. Bradbury and R. J. Bridges C1

TGF-β-induced macrophage colony-stimulating factor gene expression in various mesenchymal cell lines
T. Takaishi, T. Matsui, T. Tsukamoto, M. Ito, T. Taniguchi, M. Fukase, and K. Chihara C25

ADH-induced recycling of fluid-phase marker from endosomes to the mucosal surface in toad bladder
R. A. Coleman and J. B. Wade C32

Adenosine transport in cultured human umbilical vein endothelial cells is reduced in diabetes
L. Sobrevía, S. M. Jarvis, and D. L. Yudilevich C39

Tyrosine kinase involvement in IL-1β-induced expression of iNOS by β-cells purified from islets of Langerhans
J. A. Corbett, G. Kwon, T. P. Misko, C. P. Rodi, and M. L. McDaniel C48

Effects of tetrodotoxin-induced neural inactivation on single muscle fiber metabolic enzymes
R. N. Michel, G. Cowper, M. M.-Y. Chi, J. K. Manchester, H. Falter, and O. H. Lowry C55

ATP depletion rather than mitochondrial depolarization mediates hepatocyte killing after metabolic inhibition
A.-L. Nieminen, A. K. Saylor, B. Herman, and J. J. Lemasters C67

Osmotic and other properties of isolated human cheek epithelial cells
E. J. Lee, G. S. Patten, S. L. Burnard, and E. J. McMurchie C75

Characterization of Na^+-H^+ antiporter activity associated with human cheek epithelial cells
E. J. McMurchie, S. L. Burnard, G. S. Patten, E. J. Lee, R. A. King, and R. J. Head C84

Mechanism of desensitization of the cloned vasopressin V_{1a} receptor expressed in *Xenopus* oocytes
M. H. Nathanson, A. D. Burgstahler, J. J. Orloff, A. Mani, and M. S. Moyer C94

HSP-72 synthesis is promoted by increase in $[Ca^{2+}]_i$ or activation of G proteins but not pH_i or cAMP
J. G. Kiang, F. E. Carr, M. R. Burns, and D. E. McClain C104

Soleus muscle nascent polypeptide chain elongation slows protein synthesis rate during non-weight-bearing activity
Z. Ku and D. B. Thomason C115

Contractile economy and aerobic recovery metabolism in skeletal muscle adapted to creatine depletion
T. S. Moerland and M. J. Kushmerick C127

Picomolar doses of substance P trigger electrical responses in mast cells without degranulation
J. Janiszewski, J. Bienenstock, and M. G. Blennerhassett C138

Na^+ transport pathways in secretory acinar cells: membrane cross talk mediated by $[Cl^-]_i$
M. A. Robertson and J. K. Foskett C146

Epithelial Ca^{2+} channels sensitive to dihydropyridines and activated by hyperpolarizing voltages
H. Matsunaga, B. A. Stanton, F. A. Gesek, and P. A. Friedman C157

Permeabilization of MDCK cells with cholesterol binding agents: dependence on substratum and confluency
A. Esparís-Ogando, C. Zurzolo, and E. Rodriguez-Boulan C166

Cell fatty acid composition affects free radical formation during lipid peroxidation
J. A. North, A. A. Spector, and G. R. Buettner C177

Glutamate oxidation by trophoblasts in vitro
J. A. Broeder, C. H. Smith, and A. J. Moe C189

^{31}P-MRS measurements of extracellular pH of tumors using 3-aminopropylphosphonate
R. J. Gillies, Z. Liu, and Z. Bhujwalla C195

Lysophosphatidic acids induce proliferation of cultured vascular smooth muscle cells from rat aorta
A. Tokumura, M. Iimori, Y. Nishioka, M. Kitahara, M. Sakashita, and S. Tanaka C204

Genetic control of erythrocyte volume regulation: effect of a single gene (*rol*) on cation metabolism
P. R. Fernandes and M. J. Dewey C211

Calcium release by cholecystokinin analogue OPE is IP_3 dependent in single rat pancreatic acinar cells
H. Y. Gaisano, D. Wong, L. Sheu, and J. K. Foskett C220

Coordination of nuclear and mitochondrial gene expression during the development of cardiac hypertrophy in rats
R. J. Wiesner, V. Aschenbrenner, J. C. Rüegg, and R. Zak C229

Regulation of calcium mobilization and entry in human platelets by endothelium-derived factors
J. Geiger, C. Nolte, and U. Walter C236

Mitochondrial biogenesis and development of respiratory chain enzymes in kidney cells: role of glucocorticoids
F. Djouadi, J. Bastin, T. Gilbert, A. Rötig, P. Rustin, and C. Merlet-Benichou C245

Potentiation of Ca^{2+}-activated secretory activity by a cAMP-mediated mechanism in avian salt gland cells
S. C. Martin, J. Thompson, and T. J. Shuttleworth C255

Ketoconazole blocks organic osmolyte efflux independently of its effect on arachidonic acid conversion
M. McManus, C. Serhan, P. Jackson, and K. Strange C266

Heterotrimeric G proteins, vesicle trafficking, and CFTR Cl^- channels
E. M. Schwiebert, F. Gesek, L. Ercolani, C. Wjasow, D. C. Gruenert, K. Karlson, and B. A. Stanton C272

Skeletal muscle junctional membrane protein content in pigs with different ryanodine receptor genotypes
J. R. Mickelson, J. M. Ervasti, L. A. Litterer, K. P. Campbell, and C. F. Louis C282

Anomalies in ion transport in CF mouse tracheal epithelium
B. R. Grubb, A. M. Paradiso, and R. C. Boucher C293

RAPID COMMUNICATIONS

Expression of a rabbit renal ascorbic acid transporter in *Xenopus laevis* oocytes
D. L. Dyer, Y. Kanai, M. A. Hediger, S. A. Rubin, and H. M. Said C301

Cardiac sarcolemmal Na/Ca-inhibiting peptides XIP and FMRF-amide also inhibit Na/Ca exchange in squid axons
R. DiPolo and L. Beaugé C307

ANNOUNCEMENTS C312

No. 2. AUGUST 1994

INVITED REVIEW

Mitochondrial calcium transport: physiological and pathological relevance
T. E. Gunter, K. K. Gunter, S.-S. Sheu, and C. E. Gavin C313

Subcellular localization of CFTR to endosomes in a ductal epithelium
P. Webster, L. Vanacore, A. C. Nairn, and C. R. Marino C340

Adrenergic modulation of intracellular pH in isolated brown fat cells from hamster and rat
S. C. Lee, J. S. Hamilton, T. Trammell, B. A. Horwitz, and P. A. Pappone C349

Local ATP regeneration is important for sarcoplasmic reticulum Ca^{2+} pump function
P. Korge and K. B. Campbell C357

Determinants of apical membrane permeabilities of barrier epithelia
M. B. Lande, N. A. Priver, and M. L. Zeidel C367

Characterization of the proteins of the intestinal Na^+-K^+-$2Cl^-$ cotransporter
W. Suvitayavat, P. B. Dunham, M. Haas, and M. C. Rao C375

Transport and interaction of nitrogen oxides and NO_2 with CO_2-HCO_3^- transporters in pancreatic acini
H. Zhao, X. Xu, K. Ujiie, R. A. Star, and S. Muallem C385

Hepatocyte inducible nitric oxide synthesis is influenced in vitro by cell density
A. K. Nussler, Z.-Z. Liu, M. Di Silvio, M. A. Sweetland, D. A. Geller, J. R. Lancaster, Jr., T. R. Billiar, P. D. Freeswick, C. L. Lowenstein, and R. L. Simmons C394

Interferon-γ induces a cell surface phenotype switch on T84 intestinal epithelial cells
S. P. Colgan, C. A. Parkos, J. B. Matthews, L. D'Andrea, C. S. Awtrey, A. H. Lichtman, C. Delp-Archer, and J. L. Madara C402

Calcium channels in excitable cells: divergent genotypic and phenotypic expression of α_1-subunits
A. Liévano, A. Bolden, and R. Horn C411

Thermal stress induces epithelial permeability
P. L. Moseley, C. Gapen, E. S. Wallen, M. E. Walter, and M. W. Peterson C425

Carbon monoxide stimulates a potassium-selective current in rabbit corneal epithelial cells
A. Rich, G. Farrugia, and J. L. Rae C435

Coordinate changes in C protein and myosin expression during skeletal muscle hypertrophy
K. M. McCormick, K. M. Baldwin, and F. Schachat C443

Glucocorticoids regulate the transcription of Na^+-K^+-ATPase genes in the infant rat kidney
Z.-M. Wang, M. Yasui, and G. Celsi C450

Ca^{2+}-permeable channel associated with platelet-derived growth factor receptor in mesangial cells
H. Matsunaga, B. N. Ling, and D. C. Eaton C456

Inhibition of acrosin by protein C inhibitor and localization of protein C inhibitor to spermatozoa
X. Zheng, M. Geiger, S. Ecke, E. Bielek, P. Donner, U. Eberspächer, W.-D. Schleuning, and B. R. Binder C466

Determinants of apical membrane formation and distribution in multicellular epithelial MDCK cysts
A. Z. Wang, J. C. Wang, G. K. Ojakian, and W. J. Nelson C473

Mechanical stretch/relaxation of cultured rat mesangial cells induces protooncogenes and cyclooxygenase
Y. Akai, T. Homma, K. D. Burns, T. Yasuda, K. F. Badr, and R. C. Harris C482

Coupled secretion of chloride and mucus in skin of *Xenopus laevis*: possible role for CFTR
J. F. Engelhardt, S. S. Smith, E. Allen, J. R. Yankaskas, D. C. Dawson, and J. M. Wilson C491

Phorbol myristate acetate and ATP-sensitive potassium channels in insulin-secreting cells
M. J. Dunne C501

Isometric, shortening, and lengthening contractions of muscle fiber segments from adult and old mice
S. V. Brooks and J. A. Faulkner C507

Further characterization of the sorbitol permease in PAP-HT25 cells
S. Napathorn and K. R. Spring C514

Regulation of rat ventricular myosin heavy chain expression by serum and contractile activity
M. Qi, K. Ojamaa, E. G. Eleftheriades, I. Klein, and A. M. Samarel C520

Hypertonic upregulation of amino acid transport system A in vascular smooth muscle cells
J.-G. Chen, L. R. Klus, D. K. Steenbergen, and S. A. Kempson C529

Modulation of growth factor and cytokine-induced increases in T84 cell monolayer permeability by media components
J. A. McRoberts and N. E. Riley C537

Voltage-dependent ionic conductances in Chinese hamster ovary cells
R. Skryma, N. Prevarskaya, P. Vacher, and B. Dufy C544

Early effects of PRL on ion conductances in CHO cells expressing PRL receptor
N. Prevarskaya, R. Skryma, P. Vacher, N. Daniel, C. Bignon, J. Djiane, and B. Dufy C554

Intercellular communication between mouse Leydig cells
W. A. Varanda and A. C. Campos de Carvalho C563

Characterization of gap junctions between pairs of Leydig cells from mouse testis
E. M. Pérez-Armendariz, M. C. Romano, J. Luna, C. Miranda, M. V. L. Bennett, and A. P. Moreno C570

Relationship between intra- and extracellular pH in primary cultures of rat astrocytes
P. Mellergård, Y. Ou-Yang, and B. K. Siesjö C581

Mammalian α_1-subunit of Na^+-K^+-ATPase does not need its amino terminus to maintain cell viability
N. M. Shanbaky and T. A. Pressley C590

Delayed activation of single mechanosensitive channels in *Lymnaea* neurons
D. L. Small and C. E. Morris C598

The effect of [Arg^8]vasopressin on electrogenic chloride secretion in cultured rat epididymal epithelia
K. B. Lai, W. O. Fu, W. H. Ko, H. C. Chan, and P. Y. D. Wong C607

Sarcoplasmic reticulum Ca^{2+} pump expression in denervated skeletal muscle
L. Schulte, D. Peters, J. Taylor, J. Navarro, and S. Kandarian C617

Tension-voltage relations of single myocytes reflect Ca release triggered by Na/Ca exchange at 35°C but not 23°C
M. Vornanen, N. Shepherd, and G. Isenberg C623

Elevated extracellular Mg^{2+} increases Mg^{2+} buffering through a Ca-dependent mechanism in cardiomyocytes
K. L. Koss and R. D. Grubbs C633

Dissociation of depolarization-activated and swelling-activated Cl^- channels
M. E. Krouse, C. M. Haws, Y. Xia, R. H. Fang, and J. J. Wine C642

Selection for MDR1/P-glycoprotein enhances swelling-activated K^+ and Cl^- currents in NIH/3T3 cells
D. B. Luckie, M. E. Krouse, K. L. Harper, T. C. Law, and J. J. Wine C650

No. 3. SEPTEMBER 1994

INVITED REVIEW

Signal transduction in vascular smooth muscle: diacylglycerol second messengers and PKC action
M. W. Lee and D. L. Severson C659

Shear stress inhibits adhesion of cultured mouse endothelial cells to lymphocytes by downregulating VCAM-1 expression
J. Ando, H. Tsuboi, R. Korenaga, Y. Takada, N. Toyama-Sorimachi, M. Miyasaka, and A. Kamiya C679

ATP is not required for anion current activated by cell swelling in multidrug-resistant lung cancer cells
J. D. Jirsch, D. W. Loe, S. P. C. Cole, R. G. Deeley, and D. Fedida C688

Differential expression of I_{sk} mRNAs in mouse tissue during development and pregnancy
A. Felipe, T. J. Knittle, K. L. Doyle, D. J. Snyders, and M. M. Tamkun C700

Polyamines influence transglutaminase activity and cell migration in two cell lines
S. A. McCormack, J.-Y. Wang, M. J. Viar, L. Tague, P. J. A. Davies, and L. R. Johnson C706

Polyamine deficiency causes reorganization of F-actin and tropomyosin in IEC-6 cells
S. A. McCormack, J.-Y. Wang, and L. R. Johnson C715

Regulation of parathyroid hormone-related peptide production in normal human mammary epithelial cells in vitro
M. Sebag, J. Henderson, D. Goltzman, and R. Kremer C723

Identification of A_1 adenosine receptors in rat cochlea coupled to inhibition of adenylyl cyclase
V. Ramkumar, R. Ravi, M. C. Wilson, T. W. Gettys, C. Whitworth, and L. P. Rybak C731

Participation of Na^+ channels in the response of carotid body chemoreceptor cells to hypoxia
A. Rocher, A. Obeso, M. T. G. Cachero, B. Herreros, and C. González C738

Activity and density of the Na^+/H^+ antiporter in normal and transformed human lymphocytes and fibroblasts
M. Siczkowski, J. E. Davies, and L. L. Ng C745

Role of G proteins in shear stress-mediated nitric oxide production by endothelial cells
M. J. Kuchan, H. Jo, and J. A. Frangos C753

Effect of isosmotic removal of extracellular Na^+ on cell volume and membrane potential in muscle cells
C. Peña-Rasgado, J. C. Summers, K. D. McGruder, J. DeSantiago, and H. Rasgado-Flores C759

Effect of isosmotic removal of extracellular Ca^{2+} and of membrane potential on cell volume in muscle cells
C. Peña-Rasgado, K. D. McGruder, J. C. Summers, and H. Rasgado-Flores C768

cAMP and inositol 1,4,5-trisphosphate increase Ca^{2+} in HT-29 cells by activating different Ca^{2+} influx pathways
G. M. Denning, R. A. Clark, and M. J. Welsh C776

Cytoskeletal dissociation of ezrin during renal anoxia: role in microvillar injury
J. Chen, R. B. Doctor, and L. J. Mandel C784

Glucocorticoids regulate Na^+/H^+ exchange expression and activity in region- and tissue-specific manner
J. H. Cho, M. W. Musch, A. M. DePaoli, C. M. Bookstein, Y. Xie, C. F. Burant, M. C. Rao, and E. B. Chang C796

Ontogeny of cationic amino acid transport systems in rat placenta
M. S. Malandro, M. J. Beveridge, M. S. Kilberg, and D. A. Novak C804

A basolateral CHIP28/MIP26-related protein (BLIP) in kidney principal cells and gastric parietal cells
G. Valenti, J.-M. Verbavatz, I. Sabolić, D. A. Ausiello, A. S. Verkman, and D. Brown C812

Anti-idiotypic antibodies to delineate epitope specificity of anti-amiloride antibodies
C. Lin, M. Musch, P. Meo, J. Zebrowitz, E. Chang, and T. R. Kleyman C821

Development of soleus muscles in SHR: relationship of muscle deficits to rise in blood pressure
A. Atrakchi, S. D. Gray, and R. C. Carlsen C827

Increased Na^+-K^+ pump number and decreased pump activity in soleus muscles in SHR
J. G. Pickar, R. C. Carlsen, A. Atrakchi, and S. D. Gray C836

pH_i and serum regulate AE2-mediated Cl^-/HCO_3^- exchange in CHOP cells of defined transient transfection status
L. Jiang, A. Stuart-Tilley, J. Parkash, and S. L. Alper C845

SPECIAL COMMUNICATION

Slowly activating voltage-dependent K^+ conductance is apical pathway for K^+ secretion in vestibular dark cells
D. C. Marcus and Z. Shen C857

RAPID COMMUNICATION

Clenbuterol, a β_2-agonist, retards wasting and loss of contractility in irradiated dystrophic *mdx* muscle
R. J. Zeman, Y. Zhang, and J. D. Etlinger C865

No. 4. OCTOBER 1994

INVITED REVIEW

The Na-K-Cl cotransporters
M. Haas C869

Responses to extracellular ATP of lymphoblastoid cell lines from Duchenne muscular dystrophy patients
D. Ferrari, M. Munerati, L. Melchiorri, S. Hanau, F. Di Virgilio, and O. R. Baricordi C886

Alveolar epithelial cells regulate the induction of endothelial cell apoptosis
C. H. Wendt, V. A. Polunovsky, M. S. Peterson, P. B. Bitterman, and D. H. Ingbar C893

Expression of Na^+-K^+-ATPase α- and β-subunits along rat nephron: isoform specificity and response to hypokalemia
A. A. McDonough, C. E. Magyar, and Y. Komatsu C901

Female sex hormones inhibit volume regulation in rat brain astrocyte culture
C. L. Fraser and R. A. Swanson C909

NMR-visible intracellular P_i and phosphoesters during regulation of Na^+-P_i cotransport in opossum kidney cells
M. Barac-Nieto and A. Spitzer C915

Depletion of intracellular Ca^{2+} stores activates a Ca^{2+}-selective channel in vascular endothelium
L. Vaca and D. L. Kunze C920

In vivo upregulation of adipocyte α_2-adrenoceptors by androgens is consequence of direct action on fat cells
A. Bouloumié, P. Valet, M. Dauzats, M. Lafontan, and J.-S. Saulnier-Blache C926

Insulin activates furosemide-sensitive K^+ and Cl^- uptake system in BC_3H1 cells
E. Weil-Maslansky, Y. Gutman, and S. Sasson C932

Renal cells transformed with SV40 contain a high-conductance calcium-insensitive potassium channel
J. Teulon, P. M. Ronco, and A. Vandewalle C940

Heparin induces endothelial extracellular matrix alterations and barrier dysfunction
H.-J. Guretzki, E. Schleicher, K.-D. Gerbitz, and B. Olgemöller C946

Acidosis and glucocorticoids concomitantly increase ubiquitin and proteasome subunit mRNAs in rat muscle
S. R. Price, B. K. England, J. L. Bailey, K. Van Vreede, and W. E. Mitch C955

Extracellular Ca^{2+} sensing is modulated by pH in human osteoclast-like cells in vitro
M. Grano, R. Faccio, S. Colucci, R. Paniccia, N. Baldini, A. Z. Zallone, and A. Teti C961

Coexisting β-adrenoceptor subtypes: significance for thermogenic process in brown fat cells
J. Zhao, L. Unelius, T. Bengtsson, B. Cannon, and J. Nedergaard C969

Redistribution of protein kinase C isoforms in association with vascular hypertrophy of rat aorta
Y.-M. Liou and K. G. Morgan C980

Salt stress increases abundance and glycosylation of CFTR localized at apical surfaces of salt gland secretory cells
S. A. Ernst, K. M. Crawford, M. A. Post, and J. A. Cohn C990

Labeling of the *Amphiuma* erythrocyte K^+/H^+ exchanger with H_2DIDS
H. M. Maldonado and P. M. Cala C1002

Mammalian urinary bladder permeability is altered by cationic proteins: modulation by divalent cations
C. J. Tzan, J. R. Berg, and S. A. Lewis C1013

Disruptive effects of protein on performance of liquid membrane-based ion-selective microelectrodes
H. V. Coombs, A. J. Miller, and D. Sanders C1027

Modulation of ATP-sensitive K^+ channels by internal acidification in insulin-secreting cells
Z. Fan, Y. Tokuyama, and J. C. Makielski C1036

Regulatory volume decrease in HL-60 cells: importance of rapid changes in permeability of Cl^- and organic solutes
K. R. Hallows and P. A. Knauf C1045

Control of intracellular pH during regulatory volume decrease in HL-60 cells
K. R. Hallows, D. Restrepo, and P. A. Knauf C1057

Endotoxin tolerance is associated with decreased prostaglandin H synthases-1 and -2
J. Geisel, J. A. Cook, S. H. Ashton, W. C. Wise, and P. V. Halushka C1067

Decreased protein phosphorylation induced by anoxia in proximal renal tubules
C. E. Kobryn and L. J. Mandel C1073

Large Ca^{2+}-activated K^+ channels responsive to angiotensin II in cultured human mesangial cells
J. D. Stockand and S. C. Sansom C1080

G protein effects on Ca^{2+} release and excitation-contraction coupling in skeletal muscle fibers
L. Carney-Anderson and S. K. Donaldson C1087

ATP-activated chloride channel inhibited by an antibody to P glycoprotein
J. J. Zhang and T. J. C. Jacob C1095

Voltage-activated potassium currents of rabbit osteoclasts: effects of extracellular calcium
L. G. Hammerland, A. S. Parihar, E. F. Nemeth, and M. C. Sanguinetti C1103

MCP-1-stimulated monocyte attachment to laminin is mediated by β_2-integrins
Y. Jiang, J.-F. Zhu, F. W. Luscinskas, and D. T. Graves C1112

Na^+-coupled alanine transport in LLC-PK_1 cells
G. A. Kimmich, J. Randles, and J. Wilson C1119

Endothelins stimulate mitogen-activated protein kinase cascade through either ET_A or ET_B
Y. Wang, P. M. Rose, M. L. Webb, and M. J. Dunn C1130

Intracellular Cl activity: evidence of dual mechanisms of Cl absorption in sweat duct
M. M. Reddy and P. M. Quinton C1136

SPECIAL COMMUNICATIONS

Methods for determining cardiac sarcoplasmic reticulum Ca^{2+} pump kinetics from fura 2 measurements
M. E. Kargacin and G. J. Kargacin C1145

Method for manipulation of cytosolic pH in cells clamped in the whole cell or perforated-patch configurations
S. Grinstein, R. Romanek, and O. D. Rotstein C1152

RAPID COMMUNICATION

Rapid turnover of myosin light chain phosphate during cross-bridge cycling in smooth muscle
T. M. Butler, S. R. Narayan, S. U. Mooers, and M. J. Siegman C1160

No. 5. NOVEMBER 1994

INVITED REVIEW

Potential assays for sperm capacitation in mammals
A. Cohen-Dayag and M. Eisenbach C1167

Different effects of gradual vs. acute adenine nucleotide depletion on ATP cost of muscle contraction
J. M. Foley, G. R. Adams, and R. A. Meyer C1177

Endothelin receptors in human smooth muscle cells: antagonist potency differs on agonist-evoked responses
J. R. Wu-Wong, W. J. Chiou, Z.-J. Huang, M. J. Vidal, and T. J. Opgenorth C1185

Muscarinic stimulation of gallbladder epithelium. III. Antagonism of cAMP-mediated effects
G. A. Altenberg, M. Subramanyam, and L. Reuss C1196

The volume-sensitive organic osmolyte-anion channel VSOAC is regulated by nonhydrolytic ATP binding
P. S. Jackson, R. Morrison, and K. Strange C1203

Spatial and temporal variations in local spike propagation in the myometrium of the 17-day pregnant rat
W. J. E. P. Lammers, K. Arafat, A. El-Kays, and T. Y. El-Sharkawy C1210

Protein kinase C activity does not mediate the inhibitory effect of carbachol on chloride secretion by T84 cells
A. E. Traynor-Kaplan, T. Buranawuti, M. Vajanaphanich, and K. E. Barrett C1224

Cloning and characterization of a $K_v1.5$ delayed rectifier K^+ channel from vascular and visceral smooth muscles
K. E. Overturf, S. N. Russell, A. Carl, F. Vogalis, P. J. Hart, J. R. Hume, K. M. Sanders, and B. Horowitz C1231

Angiotensin II-dependent proximal tubule sodium transport is mediated by cAMP modulation of phospholipase C
J. R. Schelling, H. Singh, R. Marzec, and S. L. Linas C1239

Capacitative Ca^{2+} influx in adrenal glomerulosa cells: possible role in angiotensin II response
T. Rohács, A. Bagó, F. Deák, L. Hunyady, and A. Spät C1246

Caffeine stimulation of malignant hyperthermia-susceptible sarcoplasmic reticulum Ca^{2+} release channel
N. H. Shomer, J. R. Mickelson, and C. F. Louis C1253

Agonist-induced redistribution of calponin in contractile vascular smooth muscle cells
C. A. Parker, K. Takahashi, T. Tao, and K. G. Morgan C1262

Ca^{2+}-mobilizing hormones potentiate hypotonicity-induced activation of ionic conductances in Intestine 407 cells
B. C. Tilly, M. J. Edixhoven, N. van den Berghe, A. G. M. Bot, and H. R. de Jonge C1271

Na^+-dependent and Na^+-independent systems of choline transport by plasma membrane vesicles of A549 cell line
A. Kleinzeller, C. Dodia, A. Chander, and A. B. Fisher C1279

Fast sodium currents induced by serum in human uterine leiomyosarcoma cells
M. Kusaka and N. Sperelakis C1288

Functional characterization and regulation by pH of murine AE2 anion exchanger expressed in *Xenopus* oocytes
B. D. Humphreys, L. Jiang, M. N. Chernova, and S. L. Alper C1295

Involvement of protein kinase C and Ca^{2+} in angiotensin II-induced mitogenesis of cardiac fibroblasts
G. W. Booz, D. E. Dostal, H. A. Singer, and K. M. Baker C1308

Opposite roles of cAMP and cGMP on volume loss in muscle cells
C. Peña-Rasgado, V. A. Kimler, K. D. McGruder, J. Tie, and H. Rasgado-Flores C1319

Endothelin receptor in osteoblastic cells is coupled to multiple messenger signals
J. Green, O. Foellmer, C. R. Kleeman, and M. M. Basic C1329

Agonist-induced changes of $[Ca^{2+}]_i$ and membrane currents in single bovine aortic endothelial cells
H. M. Himmel, R. L. Rasmusson, and H. C. Strauss C1338

Expression and function of P-glycoprotein in human mesangial cells
E. Bello-Reuss and S. Ernest C1351

Interactions between inhibitory and excitatory modulatory signals in single submucosal neurons
C. Barajas-López C1359

Loss of red blood cell glutathione during Mg deficiency: prevention by vitamin E, D-propranolol, and chloroquine
I. T. Mak, R. Stafford, and W. B. Weglicki C1366

Selective block of gap junction channel expression with connexin-specific antisense oligodeoxynucleotides
L. K. Moore and J. M. Burt C1371

Regulation of endothelial nitric oxide synthase mRNA, protein, and activity during cell growth
J.-F. Arnal, J. Yamin, S. Dockery, and D. G. Harrison C1381

Angiotensin II type 2 receptor stimulation of neuronal K^+ currents involves an inhibitory GTP binding protein
J. Kang, P. Posner, and C. Sumners C1389

Interferon-γ downregulates CFTR gene expression in epithelial cells
F. Besançon, G. Przewlocki, I. Baró, A.-S. Hongre, D. Escande, and A. Edelman C1398

Inhibition of smooth muscle cell growth by nitric oxide and activation of cAMP-dependent protein kinase by cGMP
T. L. Cornwell, E. Arnold, N. J. Boerth, and T. M. Lincoln C1405

Effects of prostaglandin E_2 on amiloride-blockable Na^+ channels in a distal nephron cell line (A6)
K. E. Kokko, P. S. Matsumoto, B. N. Ling, and D. C. Eaton C1414

Effects of EGTA on calcium signaling in airway epithelial cells
R. A. Harris and J. W. Hanrahan C1426

Calcium-activated sodium and chloride fluxes modulate platelet volume: role of Ca^{2+} stores
B. P. Fine, E. S. Marques, and K. A. Hansen C1435

Multiple modes of regulation of airway epithelial chloride secretion by extracellular ATP
M. J. Stutts, J. G. Fitz, A. M. Paradiso, and R. C. Boucher C1442

Ketamine inhibition of large conductance Ca^{2+}-activated K^+ channels is modulated by intracellular Ca^{2+}
D. D. Denson and D. C. Eaton C1452

Kinetics of prostacyclin synthesis in PGHS-1-overexpressed endothelial cells
S. K. Sanduja, A.-L. Tsai, N. Matijevic-Aleksic, and K. K. Wu C1459

Progesterone and EGF inhibit mouse mammary gland prolactin receptor and β-casein gene expression
S. Nishikawa, R. C. Moore, N. Nonomura, and T. Oka C1467

Direct measurement of extracellular proton flux from isolated gastric glands
A. Thibodeau, R. C. Kuo, J. M. Crothers, Jr., X. Yao, J. C. Owicki, and J. G. Forte C1473

Permeability properties of the mammalian bladder apical membrane
A. Chang, T. G. Hammond, T. T. Sun, and M. L. Zeidel C1483

Response to osmotic stimuli in mesangial cells: role of system A transporter
A. Yamauchi, A. Miyai, K. Yokoyama, T. Itoh, T. Kamada, N. Ueda, and Y. Fujiwara C1493

RAPID COMMUNICATION

Activation of recombinant *trp* by thapsigargin in Sf9 insect cells
L. Vaca, W. G. Sinkins, Y. Hu, D. L. Kunze, and W. P. Schilling C1501

No. 6. DECEMBER 1994

INVITED REVIEW

Antidiuretic hormone and exocytosis: lessons from neurosecretion
R. M. Hays, N. Franki, H. Simon, and Y. Gao C1507

Carrier-mediated transport of lipoxin A_4 in human neutrophils
L. Simchowitz, S. Fiore, and C. N. Serhan C1525

Swelling-activated K^+ fluxes in vascular endothelial cells: role of intracellular Ca^{2+}
P. B. Perry and W. C. O'Neill C1535

Role of external Na^+ and cytosolic pH in agonist-evoked cytosolic Ca^{2+} response in human platelets
M. Kimura, K. Nakamura, J. W. Fenton II, T. T. Andersen, J. P. Reeves, and A. Aviv C1543

Protein kinase C inhibits Na^+-K^+-$2Cl^-$ cotransporter activity in cultured rabbit nonpigmented ciliary epithelium
J. Dong and N. A. Delamere C1553

Lactate transport mechanisms at apical and basolateral membranes of bovine retinal pigment epithelium
E. Kenyon, K. Yu, M. la Cour, and S. S. Miller C1561

Serine/threonine kinase activation in human neutrophils: relationship to tyrosine phosphorylation
J. H. Brumell and S. Grinstein C1574

Role of redox systems on Fe^{3+} uptake by transformed human intestinal epithelial (Caco-2) cells
M. T. Núñez, X. Alvarez, M. Smith, V. Tapia, and J. Glass C1582

Aminopyridine inhibition and voltage dependence of K^+ currents in smooth muscle cells from cerebral arteries
B. E. Robertson and M. T. Nelson C1589

Effect of series elasticity on delay in development of tension relative to stiffness during muscle activation
Y. Luo, R. Cooke, and E. Pate C1598

Cl^--dependent NH_4^+ transport mechanisms in medullary thick ascending limb cells
H. Amlal, M. Paillard, and M. Bichara C1607

Potassium cotransport at the rat choroid plexus
R. F. Keep, J. Xiang, and A. L. Betz C1616

Migration-associated volume changes in neutrophils facilitate the migratory process in vitro
S. Rosengren, P. M. Henson, and G. S. Worthen C1623

K^+-induced alkalinization in mouse cerebral astrocytes mediated by reversal of electrogenic Na^+-HCO_3^- cotransport
N. Brookes and R. J. Turner C1633

Role of protein phosphorylation in control of K flux pathways of trout red blood cells
A. R. Cossins, Y. R. Weaver, G. Lykkeboe, and O. B. Nielsen C1641

Thyroid hormones modulate both adenosine transport and adenosine A_1 receptors in rat brain
M. D. Fideu, A. Arce, A. I. Esquifino, and M. T. Miras-Portugal C1651

Mechanosensitive modulation of myosin phosphorylation and phosphatidylinositol turnover in smooth muscle
J. Yoo, R. Ellis, K. G. Morgan, and C.-M. Hai C1657

Sources of calcium utilized in cholinergic responses in canine colonic smooth muscle
K. Sato, K. M. Sanders, W. T. Gerthoffer, and N. G. Publicover C1666

Patterns of tyrosine phosphorylation differ in vascular hypertrophy and hyperplasia
S. Ali and G. W. Dorn II C1674

Membrane topology of the epithelial sodium channel in intact cells
C. M. Canessa, A.-M. Merillat, and B. C. Rossier C1682

I_{Kir} regulation in murine macrophages: whole cell and perforated patch studies
S. I. V. Judge, E. Montcalm-Mazzilli, and E. K. Gallin C1691

Ionic currents during action potentials in mammalian skeletal muscle fibers analyzed with loose patch clamp
H. Wolters, W. Wallinga, D. L. Ypey, and H. B. K. Boom C1699

Subcellular distribution of dystrophin in isolated adult and neonatal cardiac myocytes
J. S. Frank, G. Mottino, F. Chen, V. Peri, P. Holland, and B. S. Tuana C1707

Protooncogene product, c-mos kinase, is involved in upregulating Na^+/H^+ antiporter in *Xenopus* oocytes
K. Rezai, A. Kulisz, and W. J. Wasserman C1717

RAPID COMMUNICATIONS

Type IIx myosin heavy chain transcripts are expressed in type IIb fibers of human skeletal muscle
V. Smerdu, I. Karsch-Mizrachi, M. Campione, L. Leinwand, and S. Schiaffino C1723

Heterotetramer formation and charybdotoxin sensitivity of two K^+ channels cloned from smooth muscle
S. N. Russell, K. E. Overturf, and B. Horowitz C1729

Subject Index to Volume 36 C1735
Author Index to Volume 36 C1745